			dd /
	Application No.	Applicant(s)	— <del>9</del> / (
Notice of Allowability	09/695,184	5,184 SUERMONDT ET AL.	
	Examiner	Art Unit	Ι Ας.
	Chun Cao	2115	-
The MAILING DATE of this communication a All claims being allowable, PROSECUTION ON THE MERITS nerewith (or previously mailed), a Notice of Allowance (PTOL- NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATEN of the Office or upon petition by the applicant. See 37 CFR 1.  1. This communication is responsive to amendment filed	S IS (OR REMAINS) CLOSED in 85) or other appropriate community RIGHTS. This application is 8 313 and MPEP 1308.	n this application. If not including the transfer in the trans	uded ue course. THIS
2. The allowed claim(s) is/are <u>1,3-11 and 13-22</u> .			
3. The drawings filed on are accepted by the Exam	niner.	•	
<ol> <li>Acknowledgment is made of a claim for foreign priorit         <ul> <li>All b) □ Some* c) □ None of the:</li> <li>□ Certified copies of the priority documents h</li> <li>□ Copies of the certified copies of the priority documents h</li> <li>□ Copies of the certified copies of the priority International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul> </li> <li>Applicant has THREE MONTHS FROM THE "MAILING DAnoted below. Failure to timely comply will result in ABANDOTHIS THREE-MONTH PERIOD IS NOT EXTENDABLE.</li> </ol>	nave been received.  nave been received in Application  documents have been received  TE" of this communication to file	on No d in this national stage appl	·
<ol> <li>A SUBSTITUTE OATH OR DECLARATION must be su INFORMAL PATENT APPLICATION (PTO-152) which</li> </ol>			r NOTICE OF
<ol> <li>CORRECTED DRAWINGS ( as "replacement sheets")</li> <li>(a) ☐ including changes required by the Notice of Drafts          <ol> <li>Date</li> <li>Including changes required by the attached Examing Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CF)</li> </ol> </li> </ol>	person's Patent Drawing Review ner's Amendment / Comment or	in the Office action of	the back) of
each sheet. Replacement sheet(s) should be labeled as such			
<ol> <li>DEPOSIT OF and/or INFORMATION about the deattached Examiner's comment regarding REQUIREME</li> </ol>			d. Note the
Attachment(s)	E □ Notice of la	formal Datant Application /	OTO 452)
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-94)</li> </ol>		formal Patent Application (F ummary (PTO-413),	- 10-102)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/S	Paper No.	/Mail Date <u>8/30/04</u> . Amendment/Comment	
Paper No./Mail Date	_		Allower = =
<ol> <li>Examiner's Comment Regarding Requirement for Depo- of Biological Material</li> </ol>	sit 8. $\square$ Examiners 9. $\square$ Other	Statement of Reasons for A	Hilowance
o. Diological Matchai	o. 🗀 Olloi	-· ~ )	

SUVE SEALEY PAYENT EXAMINER
AUGUSTOS CENTER 2100

Application/Control Number: 09/695,184

Art Unit: 2115

## **DETAILED ACTION**

1. Claims 1-29 are presented for examination. Claims 21-29 are newly added claims. Claims 2 and 12 are canceled by applicant in amendment filed on 7/2/2004.

#### Election/Restrictions

- 2. Restriction to one of the following inventions is required under 35 U.S.C. 121:
  - I. Claims 1, 3-11 and 13-22, drawn to: a computer determines a set of modifications involved in a proposed intervention, classified in class 713, subclass 1.
  - II. Claims 23-29, drawn to: a system health predictor application is configured to calculate a numeric value that represents the system health, classified in class 714, subclass 40.
- 3. Inventions I and II are unrelated. Inventions are unrelated if it can be shown that they are not disclosed as capable of use together and they have different modes of operation, different functions, or different effects (MPEP § 806.04, MPEP § 808.01). In the instant case the different inventions. As per group I, a computer determines a set of modifications involved in a proposed intervention. As per group II, a system health predictor application is configured to calculate a numeric value that represents the system health.
- 4. The inventions are distinct, each from the other because of the following reasons:
- a. These inventions are distinct for the reasons given above and have acquired a separate status in the art as shown by their different classification, restriction for examination purposes as indicated is proper.

Application/Control Number: 09/695,184

Art Unit: 2115

b. The search required for one Group is not required for the other Groups for the reasons above restriction for examination purpose as indicated is proper.

5. During a telephone conversation on Aug. 30, 2004, Mr. Alan D. Christenson elected without traverse to prosecute the invention of Group I, claims 1, 3-11 and 13-22. Affirmation of this election must be made by applicant in replying to this office action. Claims 23-29 are withdrawn from further consideration by the examiner, 37 CFR 1.142(b), as being drawn to a non-elected invention.

# Allowable Subject Matter

6. Claims 1, 3-11 and 13-22 are allowed over prior art.

### **EXAMINER'S AMENDMENT**

- 7. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
- 8. Authorization for this examiner's amendment was given in a telephone interview with Alan D. Christenson on 8/30/2004.
- The application has been amended as follows:
   Claims 2, 12 and 23-29 are canceled.
- 10. Pursuant to MPEP 606.01, the title has been changed to read:
- -- PREDICTING THE HEALTH OF A COMPUTER SYSTEM BY DETERMINING
  A SET OF MODIFICATIONS INVOLVED IN A PROPOSED INTERVENTION TO AN
  EXISTING SYSTEM--

Application/Control Number: 09/695,184

Art Unit: 2115

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chun Cao whose telephone number is 703-308-6106. The examiner can normally be reached on Monday-Friday from 7:30 am-4:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas C. Lee can be reached on 703-305-9717. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 306-5631.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Chun Cao

Aug. 30, 2004

SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2100